



## Bid Notice Abstract

### Request for Quotation (RFQ)

**Reference Number** 12068108  
**Procuring Entity** DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT - REGION V  
**Title** PURCHASE OF ICT EQUIPMENT FOR PROJECT SONIC: SOUND SYSTEM OPTIMIZATION AND NEEDS-BASED IMPROVEMENT FOR COMMUNICATIONS ENHANCEMENT OF DSWD FO V ROC IN BURAGUIS, LEGAZPI CITY  
**Area of Delivery** Albay

<b>Solicitation Number:</b>	NF 2505-0350	<b>Status</b>	<b>Pending</b>
<b>Trade Agreement:</b>	Implementing Rules and Regulations		
<b>Procurement Mode:</b>	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	<b>Associated Components</b>	1
<b>Classification:</b>	Goods	<b>Bid Supplements</b>	0
<b>Category:</b>	Communication Equipment		
<b>Approved Budget for the Contract:</b>	PHP 477,000.00	<b>Document Request List</b>	0
<b>Delivery Period:</b>	30 Day/s		
<b>Client Agency:</b>		<b>Date Published</b>	27/05/2025
<b>Contact Person:</b>	Maria Wynna C. Quismorio Member, BAC Secretariat Rawis Legazpi City Albay Philippines 4500 63-52-4805670  procurement.fo5@dswd.gov.ph	<b>Last Updated / Time</b>	26/05/2025 10:14 AM
		<b>Closing Date / Time</b>	02/06/2025 10:00 AM

#### Description

1 unit 12 Input Digital Mixer  
Integrated Wifi Module  
Compatability: iOS, Android, Mac, indows, Linux Control  
Includes Rack Ears and Protection Bumpers  
Connectors:  
PRO: 4 XLR/TRS combo jack, balanced  
Line inputs: 8 TRS, balanced  
Main inputs: 2 XLR, balanced  
AUX outputs: 2 TRS, balanced  
Phone outputs: 1 TRS  
MIDI inputs/ outputs: 1/1 DIN  
Ethernet: 1 RJ45  
USB port: Type A  
Mic Input Characteristics:  
Phantom power, switchable per input: 48V  
Power:  
Switch-mode power supply Autorange: 100-240V(50/60Hz)  
Power consumption: 30W  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 1: PHP 49,500.00

1 unit DUAL 15 BAND EQUALIZER  
Inputs and outputs: 2 XLR and TRS  
Operating voltage: 100-240 VAC, 50/60Hz  
Power consumption: 12W-15W  
Input impedance: Balanced 40k $\Omega$ , unbalanced 20k $\Omega$   
Output impedance: Balanced 100 $\Omega$ , unbalanced 50 $\Omega$   
Bandwidth: 20Hz to 20kHz  
Dynamic range:  $\geq 108$ dB  
Frequency Response: <10Hz to >50kHz  
4 segment LED ladders for monitoring output levels  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 2: PHP 6,000.00

1 unit POWER SEQUENCER CONTROLLER  
8 sequenced rear panel outlets and 2 panel unswitch outlets  
Total Number of Outlets: 10  
Line Voltage: 220V 50-60Hz  
Display: Digital Voltmeter  
Control: Front Panel with ON/OFF switch  
Circuit Protection: 60A Circuit Breaker  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 3: PHP 6,000.00

1 unit POWER AMPLIFIER  
Power Supply and Fuse: 220V/60Hz T25A  
Stereo Power 8 ohms: 2 x 1000W  
Stereo Power 4 ohms: 2 x 1500W  
Bridge Mono Power @ 8 $\Omega$ : 3000W  
Bridge Mono Power @ 4 $\Omega$ : 4000W  
Signal Noise Ratio: 106dB  
Damping Factor: 600:1  
Input Sensitivity: 0.775V/1.0V/1.4V  
Frequency Response: Within 5Hz-60KHz  
Input impedance: 20K ohms balance or 10K ohms unbalance  
Crosstalk: 0.7dB  
LED Indicators: Signal, Protect, Peak/Clip/Limit  
Front mounted gain control for easy access  
Dual variable speed fans  
Selectable input sensitivity  
Stereo, Parallel, Bridge Mode Selection  
Balance XLR input  
Speakon and binding post speaker output  
Strong built metal chassis  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 4: PHP 30,000.00

1 pair 12" PASSIVE SPEAKER  
System type: 2-way full range  
LF: 12" woofer  
HF: 1.7" Polyimide Dome Tweeter  
Frequency Response: 45Hz-20KHz  
Power: 700W  
Impedance: 8 ohms  
Air Duct: Front  
Inputs: 2 NL 4 Speakon  
Enclosure: ABS Plastic Material  
Bottom pole mount for tripod stand or wall mount  
Multiple handle for easy transport  
90 x 60 wave guide horn wide coverage  
Multi angle enclosure can also use as monitor  
Easy Daisy-chain Loop Connections  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 5: PHP 15,000.00

1 pair WALL MOUNT SPEAKER RETRACTABLE BRACKET STAND  
Load Capacity: 50kg  
Adjustable Horizontal Angle  
Pole mount  
WARRANTY: SIX(6) MONTH

Approved Budget for Item# 6: PHP 3,000.00

2 roll 14AWG SPEAKER WIRE ROYAL CORD  
2 core-multi-strand copper wire  
Royal cord 14/2-2.00mm<sup>2</sup>/2c  
99.99% pure copper  
PVC insulated and jacketed  
2 conductors  
Color: Black  
WARRANTY: SIX(6) MONTH

Approved Budget for Item# 7: PHP 24,000.00

6 pcs SPEAKON  
Body material: ABS plastic  
Plug material: Conductive Nickel Coating  
Usage: Speaker connector  
Wiring: Screw type or soldering  
Locking device: Quick lock  
Female Connector  
Designed for 10 to 16 gauge AWG cables  
WARRANTY: SIX(6) MONTH

Approved Budget for Item# 8: PHP 1,500.00

10 pcs XLR MALE TO XLR FEMALE  
3 pin microphone audio extension  
Gold plated aluminum cable  
Color: Black  
Cable length: 2m  
Compatibility: Microphone, stereo, mixer, amplifier, camera  
Environmental PVC  
Nickel-plated pin  
WARRANTY: SIX(6) MONTH

Approved Budget for Item# 9: PHP 7,000.00

2 pcs 3.5mm JACK TO 6.5mm TRS JACK  
Length: 2m  
Interface: Gold plated  
Conductor material: Tin plated copper  
Shell material: Aluminum alloy  
Wire shield: Aluminum foil  
AWG: 26AWG  
Color: Black  
WARRANTY: SIX(6) MONTH

Approved Budget for Item# 10: PHP 1,500.00

2 pcs 3.5mm JACK TO DUAL 6.5mm MONO JACK  
Length: 2m  
Interface: Gold-plated  
Conductor: Tinned-copper  
Shell: Aluminum alloy  
Shielding: Aluminum Foil  
AWG: 26AWG  
Color: Black  
WARRANTY: SIX(6) MONTH

Approved Budget for Item# 11: PHP 1,700.00

2 pcs HEAVY DUTY EXTENSION WHEEL  
Wattage: ≥2500W  
Current: 10A  
Volts: 220V  
Number of Outlets: 3  
Outlet Type: Universal  
Cable Length: 10 meters  
WARRANTY: SIX(6) MONTH

Approved Budget for Item# 12: PHP 3,000.00

2 pcs CONFERENCE BLUETOOTH SPEAKER WITH BUILT-IN OMNIDIRECTIONAL MICROPHONE  
(For video live streaming, Broadcast, Conferencing and Meeting)

Item Name: USB/ Bluetooth Speakerphone  
Bluetooth: BT5.0  
Battery: 8000mAh(built-in lithium battery)  
Fastest charge time: 3 hours  
Regularly charge time up: 6 hours(support PD2.0/3.0 charging, with maximum power up to 18W)  
Connection Type: USB/Bluetooth/Wireless/3.5mm Jack  
(Daisy chain version has 2x3.5mm jack)  
Pickup range: Up to 6 meters(19.68feet)  
Mics: Built-in 8x professional microphone in 4 directions  
Microphone Type: Omni-directional(360 degree pick-up range)  
Noise Reduction: Yes  
Full Duplex Audio: Yes  
Frequency Range: 100Hz to 20kHz  
Speaker: 5W  
Power Supply: USB: 5V DC @3A maximum or 9V DC @ 2A maximum  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 13: PHP 30,000.00

1 pc/s DUAL UHF WIRELESS RECHARGEABLE MICROPHONE WITH DUAL ANTENNA RECEIVING SYSTEM  
UHF Frequencies: 636-695.7 MHz  
200 Selectable Frequencies  
100 Frequency each Channel  
Auto frequency search function  
Easy to sync and operate  
Receiver display battery status  
2 battery charging slot on receiver unit  
1U space rack mountable  
LCD display on transmitter and receiver  
Dual antenna and receiving system  
3.7V 1100mAh Li-ion rechargeable battery  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 14: PHP 9,000.00

1 pc/s MICROPHONE STAND TRIPOD  
With non-slip rubber tripod base  
Heavy duty steel for full support  
With adjustable height, angle, tripod legs base  
Tripod mic stand closed: 8.5 x 7 75cm  
Base to top height: Max Approx: 125cm(adjustable 75~125cm)  
2nd pole fix length: 67cm  
Weight: 1.3kg  
Includes 2 mic holder

Approved Budget for Item# 15: PHP 1,000.00

1 pc/s WIRED CONFERENCE SYSTEM MICROPHONE CONFERENCE SYSTEM CENTRAL UNIT  
Power Source: 220V-240V AC. 50/60Hz  
Power Consumption: 20W  
Rated Output: 36V DC, 480mA  
Input: Selectable MIC or AUX  
Mic: -60dB, 600Ω, unbalanced, phone jack  
AUX: -20dB, 10kΩ, unbalanced, phone jack  
Output: Recording: -20dB, 10kΩ, unbalanced, RCA jack  
Number of connectable units: Maximum of 24 units  
Control: Automatic Mic-Off Function: OFF, 30s(selectable)  
Finish: Panel: Aluminum, black, gloss, paint  
Accessory: Power cord(2m) x 1x  
With rack mounting bracket  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 16: PHP 35,000.00

1 pc/s CHAIRMAN UNIT WITH LONG MICROPHONE  
Power source: 36V DC, 30mA or less(supplied from the central unit)  
Output: Headphone/ Recording: Ø 3.5mm, mini jack  
Internal Speaker: 130Ω, 200mW  
Control: [Speech: Microphone, speaker on-off control by speech button  
Priority: Microphone, speaker on-off, other microphone single-tone chime activation by priority button  
Volume Control: Headphone/ Recording and internal  
Microphone Unit: Electret condenser microphone  
Directivity: Unidirectional  
WARRANTY: ONE(1) YEAR

Approved Budget for Item# 16: PHP 18,000.00

14 pc/s DELEGATE UNIT WITH LONG MICROPHONE

Power source: 36V DC, 30mA or less(supplied from the central unit)

Output: Headphone/ Recording: Ø 3.5mm, mini jack

Internal Speaker: 130Ω, 200mW

Control: [Speech: Microphone, speaker on-off control by speech button

Volume Control: Headphone/ Recording and internal speaker volume adjustable

Microphone unit: Electret condenser

Microphone: Directivity: Unidirectional

WARRANTY: ONE(1) YEAR

Approved Budget for Item# 18: PHP 226,800.00

**Created by** Maria Wynna C. Quismorio

**Date Created** 26/05/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.